ELSEVIER

Journal of Organometallic Chemistry 635 (2001) 223

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 635

Amoroso, A.J., 119

Calhorda, M.J., 197
Clarke, L.P., 119
Cloke, F.G.N., 212
Cundari, T.R., 132

Davies, J.E., 119
Decker, S.A., 132
Deeth, R.J., 165

Errington, W., 69

Fehlner, T.P., 92
Firman, T.K., 153
Frenking, G., 9

Gorelsky, S.I., 187

Han Lam, W., 84

Hitchcock, P.B., 212

Jemmis, E.D., 204

Kaltsoyannis, N., 69
King, R.B., 75
Kubas, G.J., 37

Lever, A.B.P., 187
Lewis, J., 119
Lin, Z., 84

Mingos, D.M.P., 1
Muir, K.W., 110
Musashi, Y., 173

Nikonov, G.I., 24
Nixon, J.F., 212

Pétillon, F.Y., 110
Phukan, A.K., 204

Powell, H.R., 119

Raithby, P.R., 119
Rosenthal, U., 204
Roussel, P., 69
Rumin, R., 110

Sakaki, S., 173
Scott, P., 69
Shields, G.P., 119
Sugimoto, M., 173

Veiros, L.F., 197
Vickers, D.M., 212

Yamaguchi, S., 173
Yates, B.F., 142
Yoshizawa, K., 100

Ziegler, T., 153

PII: S0022-328X(01)01231-1

ELSEVIER

Journal of Organometallic Chemistry 635 (2001) 225–228

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 635

Alkane hydroxylation
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, 100
Alkene complexes
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, 142
Amide
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Amine
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153

Back bonding
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, 69
Backdonation
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
σ-Bond coordination
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Bonding in π-complexes
A historical perspective on Dewar's landmark contribution to organometallic chemistry, 1
Bond theory
New types of non-classical interligand interactions involving silicon based ligands, 24
Boranes
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, 75
Bridging alkynes
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ ($R = CF_3$, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, 110
Butadiyne complexes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, 204

Carbonyl clusters
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, 119
Carbonyls
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, 9
Catalysis
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132
Chemical bonding topology
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, 75
Chromium
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Cobalt
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne $^tBuC{\equiv}P$: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2{}^tBu_2)(\eta^4\text{-}P_2C_2{}^tBu_2)]$, $[Co(\eta^5\text{-}P_2C_3{}^tBu_3)(\eta^4\text{-}P_2C_2{}^tBu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4{}^tBu_4H)(\eta^4\text{-}P_2C_2{}^tBu_2)]$, the latter as its $[W(CO)_5]$ adduct, 212
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, 119
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ ($R = CF_3$, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, 110
Competition for π-backdonation
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, 84
π-Complexes
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, 69
Coordinate link
A historical perspective on Dewar's landmark contribution to organometallic chemistry, 1

Dative bond
A historical perspective on Dewar's landmark contribution to organometallic chemistry, 1
Density functional
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, 142
Density functional theory
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, 165
Dewar–Chatt–Duncanson
A historical perspective on Dewar's landmark contribution to organometallic chemistry, 1
Dewar–Chatt–Duncanson model
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37

PII: S0022-328X(01)01232-3

DFT
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, 9
DFT calculations
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197
Dinitrogen
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, 69
Dinitrogen complexes
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, 165
Diyne
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, 119

Electronic structures
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, 165
Electron population analysis
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, 187

μ-Germene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Germylene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Group 13-diyl
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, 9

Hydrido complexes
New types of non-classical interligand interactions involving silicon based ligands, 24
Hydroformylation
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132
Hypervalent compounds
New types of non-classical interligand interactions involving silicon based ligands, 24

Indenyl effect
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197

Iron
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197

Manganese
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Metal–alkene complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, 84
Metal–alkenyl complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, 84
Metal–borane complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Metal–boryl complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, 84
Metal–dihydrogen complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Metallaboranes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, 92
Metallacyclocumulenes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, 204
Metallaphosphanes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, 92
Metallasilanes
The relevance of the Dewar model to neighboring p-block element analogs of metal hydrocarbon π-complexes, 92
Metal–ligand covalency
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, 187
Metalloboranes
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, 75
Metallocenes
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197
Metal–olefin π bonding
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Metal–silane complex
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Metal–silane complexes
Structural preference in complexes containing both double-face and single-face π-acceptor ligands, 84
Metal vapour synthesis
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2{}^t Bu_2)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, $[Co(\eta^5\text{-}P_2C_3{}^t Bu_3)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4{}^t Bu_4H)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, the latter as its $[W(CO)_5]$ adduct, 212

Methane activation
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, 100
Molecular orbital
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, 142
Molecular orbital calculation
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Molecular orbital calculations
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, 9
Molecular orbital theory
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, 100
Molecules orbital calculations
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173

Nickel
Bis(indenyl) complexes of Fe, Co, and Ni: electronic structure and preferences, 197
Nonclassical bonding
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Non-classical interactions
New types of non-classical interligand interactions involving silicon based ligands, 24

Olefin polymerization
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153
Osmium
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, 119
Oxidative addition
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37

Palladium
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Phospha-alkyne
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2{}^t Bu_2)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, $[Co(\eta^5\text{-}P_2C_3{}^t Bu_3)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4{}^t Bu_4H)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, the latter as its $[W(CO)_5]$ adduct, 212
Platinum
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
QM/MM
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132

Radialenes
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, 204
Reactivity
A density functional study of the structures, vibrations and bond energies of dinitrogen phosphine complexes of the first transition series, 165
Regioselectivity
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132
Rhodium
Hybrid QM/MM study of propene insertion into the Rh–H bond of $HRh(PPh_3)_2(CO)(\eta^2\text{-}CH_2{=}CHCH_3)$: the role of the olefin adduct in determining product selectivity, 132

Sandwich compounds
Metal vapour synthesis of phospha-organometallic compounds via reaction of cobalt atoms with the phospha-alkyne ^{t}BuC≡P: synthesis and structural characterisation of the sandwich compounds $[Co(\eta^5\text{-}P_3C_2{}^t Bu_2)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, $[Co(\eta^5\text{-}P_2C_3{}^t Bu_3)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$ and the protonated tetraphospha-barrelene complex $[Co(\eta^4\text{-}P_4C_4{}^t Bu_4H)(\eta^4\text{-}P_2C_2{}^t Bu_2)]$, the latter as its $[W(CO)_5]$ adduct, 212
μ-Silene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Silicon
New types of non-classical interligand interactions involving silicon based ligands, 24
Silylene
M_2E_2 four-member ring structure, $M_2(\mu\text{-}EH_2)_2(P2)_2$ (M = Pd or Pt; E = Si or Ge; P2 = $(PH_3)_2$ or $H_2PCH_2CH_2PH_2$) versus μ-disilene and μ-digermene-bridged structures, $M_2(\mu\text{-}E_2H_4)(P2)_2$. A theoretical study, 173
Stereochemical scrambling
Methane inversion on transition metal ions: a possible mechanism for stereochemical scrambling in metal-catalyzed alkane hydroxylations, 100
Strain energies
Olefin strain energies and platinum complexes of highly pyramidalised alkenes, 142
Synergic bonding
A historical perspective on Dewar's landmark contribution to organometallic chemistry, 1
Understanding the nature of the bonding in transition metal complexes: from Dewar's molecular orbital model to an energy partitioning analysis of the metal–ligand bond, 9

Three-center bonds
Analogies between the chemical bonding topologies in metal–olefin complexes and in metallaboranes: the role of three-center two-electron bonding, 75
Time-dependent density-functional response theory
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, 187
Titanocene
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, 204

Trans-effect
Metal–dihydrogen and σ-bond coordination: the consummate extension of the Dewar–Chatt–Duncanson model for metal–olefin π bonding, 37
Triangular clusters
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, 110

Uranium
Back bonding without σ-bonding: a unique π-complex of dinitrogen with uranium, 69

Vanadium
Bis-amide and amine bis-amide ligands in M(IV) (M = V, Cr, Mn) based olefin polymerization catalysts: a theoretical study, 153

X-ray crystal structures
Reactions of $[Os_3(CO)_{10}(NCMe)_2]$ with symmetric diynes and their reactivity towards $[Co_2(CO)_8]$, 119
X-ray structures
Reactions of the μ-alkyne-dicobalt complexes $[Co_2(CO)_6(\mu\text{-}CF_3\text{–}C{\equiv}C\text{–}R)]$ (R = CF_3, H) with $[Co_2Cp_2(\mu\text{-}SMe)_2]$: substitution and insertion leading to novel thiolato-alkyne tetra- and tricobalt clusters, 110
ZINDO
Electronic structure and spectra of ruthenium diimine complexes by density functional theory and INDO/S. Comparison of the two methods, 187
Zirconocene
Structure and bonding of metallacyclocumulenes, radialenes, butadiyne complexes and their possible interconversion: a theoretical study, 204